Canyon River Cable Hats



	STITCHES
sl st (slip stitch)	Insert hook into st indicated and pull up a lp, draw that
	lp through lp on hook.
sc (single crochet)	Insert hook into st indicated and pull up a lp, yo and
	draw through 2 lps on hook.
hdc (half double	Yo, insert hook into st indicated and pull up a lp, yo
crochet)	and draw through all 3 lps on hook.
dc (double crochet)	Yo once, insert hook into st indicated and pull up a lp,
	[yo and draw through 2 lps on hook] 2 times.
ch2lp (chain 2 loop)	(Sc, ch 2, sc) all in st indicated.
fpdc (front post	Yo, insert hook from front to back to front again
double crochet)	around post of st indicated and pull up a lp, [yo and
,	draw through 2 lps on hook] 2 times.
bpdc (back post	Yo, insert hook from back to front to back again
double crochet)	around post of st indicated and pull up a lp, [yo and
	draw through 2 lps on hook] 2 times.
fptr (front post treble	Yo 2 times, insert hook from front to back to front
crochet)	again around post of st indicated and pull up a lp, [yo
	and draw through 2 lps on hook] 3 times.
rsc (reverse single	Sc as usual but work in stitch to the right instead of the
crochet)	left.
cable	Sk next 2 post sts, fptr around each of next 2 post sts,
	working over last 2 fptr just made, fptr around first
	skipped post st, fptr around 2nd skipped post st.
b-cable (back cable)	Sk next 2 post sts, fptr around each of next 2 post sts,
	working behind last 2 fptr just made, fptr around first
	skipped post st, fptr around 2nd skipped post st.
SCC (single crochet	Uses next 2 post sts and the 2 sc between them: Sk
cable)	next post st, sk next 2 sc, fptr around next post st,
	working behind fptr just made, sc in first skipped sc,
	sc in 2nd skipped sc, working over last fptr, fptr
	around skipped post st.
CHSPC (chain space	Uses next 2 post sts and the ch-2 sp between them. Sk
cable)	next post, sk next ch-2 sp, fptr around next post st,
	working behind fptr just made, ch2lp in skipped ch-2
нь сперс (1-11	sp, working over last fptr, fptr around skipped post st.
dbl-CHSPC (double	Uses next 4 post sts and the ch-2 sp between them. Sk
chain space cable)	next 2 post sts, sk next ch-2 sp, fptr around each of
	next 2 post sts, working behind fptr just made, ch2lp in
	skipped ch-2 sp, working over last 2 fptr made, fptr
	around first skipped post st, fptr around 2nd skipped post st.
	- Continued to next page-
	- Continued to next page-

COPYRIGHT This pattern may be printed for your personal use only. You MAY NOT in any form reproduce, transmit or distribute this pattern, including but not limited to images, diagrams and text, including but not limited to photocopying, other electrical or mechanical means. Copyright © 2011 Crochet Garden

Notes:

To make hat a smaller circumference than listed, use 1 size smaller hook than called for to obtain gauge.

To make hat larger than circumference listed, use 1 size larger than called for to obtain gauge.

BRIMS: Brims are worked 3.5" but only folded up 2". This is to eliminate the unevenness that develops between the last rnd of the body of hat and the first rnd of the brim.

Testers

Sarah Cooper Nadine Foreman Carolyn VanOstran Malca Bayzman Nicole Patrick Marguerite Hill Ella Martin

LRC (large rope	Uses posts of next 4 sts indicated: Sk next 3 post sts,	
cable)	fptr around next post st, working over fptr just made,	
	fptr around first skipped post st, fptr around 2nd	
	skipped post st, fptr around 3rd skipped post st.	
pc (popcorn)	Work 5 sc in st indicated, drop lp from hook, insert	
	hook from front to back of first sc and pull dropped lp	
	through, ch 1 to close.	
s-pc (small popcorn)	Work 4 sc in st indicated, drop lp from hook, insert	
	hook from front to back of first sc and pull dropped lp	
	through, ch 1 to close.	

ABBREVIATIONS			
ch (s)	chain(s)	st(s)	stitch(es)
yo	yarn over	sp(s)	space(s)
yd(s)	yard(s)	RS	Right side
11	inches	WS	Wrong side
mm	millimeter	m	Meter(s)
lp(s)	Loop(s)	sk	skip
rep	repeat	' or ft	feet

DEFINITIONS		
Post st (post	Refers to any type of post st: fpdc, bpdc, fptr, etc.	
stitch)		

	CONTACT - SUPPORT - PATTERNS
Patterns	http://www.crochetgarden.com
Support	http://www.crochetgarden.com/forum
Forum	
Email	editor@crochetgarden.com

Stonehill Cable Hat





Gauge

Rnds 1-5 in pattern: diameter= 4.5"; 5 rows = 2.25"



Yarn Paton's Classic Wool (100% Pure New Wool; 223 yards/205 m; 3.5oz/100g); Worsted Weight; #00202 Aran: 2 skeins

Sizes	Hat Circumference: 19.25" (21", 22.5") Actual head circumference should be the same to 2" larger than hat circumference chosen. For example, if head circumference is 21.5", choose the 21" size.
Hook	I/9 hook (5.50mm)
Notions	Yarn needle; tape measure.

CROWN

Rnd 1: Ch 2, 11 (12, 13) hdc in 2nd ch from hook, join with sl st to first hdc—11 (12, 13) hdc

Rnd 2: Ch 1, 2 fpdc (see Stitches) around each hdc, join with sl st to first fpsc—22 (24, 26) fpdc

Rnd 3: Ch 1, fpdc around each of first 2 fpdc, working behind last fpdc



just made, hdc in top of same fpdc (this is the last fpdc that last fpdc was worked around), *fpdc around each of next 2 fpdc, working behind last fpdc just made, hdc in top of same fpdc, rep from * 9 (10, 11) times, join with sl st to top of first fpdc—11 (12, 13) hdc, 22 (24, 26) fpdc

Rnd 4: Ch 1, fpdc around first fpdc, working behind fpdc just made, ch2lp (see Stitches) in top of same fpdc, fpdc around next fpdc, hdc in next hdc, *fpdc around next fpdc, working behind fpdc just made, ch2lp in top of same fpdc, fpdc around next fpdc, hdc in next hdc, rep from * 9 (10, 11) times, join with sl st to first fpdc—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 22 (24, 26) fpdc

Rnd 5: Ch 1, CHSPC (see Stitches) using first 2 post sts (see Definitions) and the ch-2 sp between them, hdc in next hdc, *CHSPC using next 2 post sts and the ch-2 sp between them, hdc in next hdc, rep from 9 (10, 11) * times, join with sl st to first fptr, turn—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 22 (24, 26) fptr


Rnd 6: (WS) Ch 1, hdc in first hdc, **bpdc** (see Stitches) around next post st, ch2lp in next ch-2 sp, bpdc around next post st, *hdc in next hdc, bpdc around next post st, ch2lp in next ch-2 sp, bpdc around next

post st, rep from * around, join with sl st to first hdc, turn—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 22 (24, 26) bpdc

Rnd 7: Ch 1, 2 fpdc around first post st, pc (see Stitches) in next ch-2 sp, 2 fpdc around next post st, hdc in next hdc, *2 fpdc around next post st, pc in next ch-2 sp, 2 fpdc around next post st, hdc in next hdc, rep from * around, join with sl st to first fpdc, turn—11 (12, 13) hdc, 11 (12, 13) pc, 44 (48, 52) fpdc

RODY

Rnd 8: (WS) Ch 1, hdc in first hdc, bpdc around each of next 2 post sts, ch2lp in top of next pc, bpdc around each of next 2 post sts, *hdc in next hdc, bpdc around each of next 2 post sts, ch2lp in top of next pc, bpdc around each of next 2 post sts, rep from * around, join with sl st to first hdc, turn—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 44 (48, 52) bpdc



Rnd 9: (RS) Ch 1, dbl-CHSPC (see Stitches) using next 4 post sts and the ch-2 sp between them, hdc in next hdc, *dbl-CHSPC using next 4 post sts and the ch-2 sp between them, hdc in next hdc, rep from * around, join with sl st to first fptr, turn—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 44 (48, 52) fptr

Rnd 10: Ch 1, hdc in first hdc, bpdc around each of next 2 post sts, ch2lp in next ch-2 sp, bpdc around each of next 2 post sts, *hdc in next hdc, bpdc around each of next 2 post sts, ch2lp in next ch-2 sp, bpdc around each of next 2 post sts, rep from * around, join with sl st to first hdc, turn—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 44 (48, 52) bpdc

Rnd 11: Ch 1, fpdc around each of first 2 post sts, pc in next ch-2 sp, fpdc around each of next 2 post sts, hdc in next hdc, *fpdc around each of next 2 post sts, pc in next ch-2 sp, fpdc around each of next 2 post sts, hdc in next hdc, rep from * around, join with sl st to first fpdc, turn—11 (12, 13) hdc, 11 (12, 13) pc, 44 (48, 52) fpdc

Rep Rnds 8-11 until hat measures (from crown) following age below ending on a rnd 11. Age 3 - 4: 5.5" Age 5 - 6: 5.75" Age 7 - 8: 6" Age 9 - 10: 6 - 6.25" Pre-Teen: 6.25" Teen: 6.5" Adult female: 6.5" Adult male: 7 - 7.5"

BRIM

Rnd 1: (WS) SI st in next hdc, ch 1, fpdc around each of next 2 post sts, ch2lp in top of next pc, fpdc around each of next 2 post sts, hdc in next hdc, *fpdc around each of next 2 post sts, ch2lp in top of next pc, fpdc around each of next 2 post sts, hdc in next hdc, rep from * around working last hdc in first sl st, join with sl st to first fpdc, do not turn—11 (12, 13) hdc, 11 (12, 13) ch-2 sps, 44 (48, 52) fpdc

Rnds 2-10: Rep Rnds of BODY in following order: Rnds 9-11 one time, then Rnds 8-11 one time, and then Rnds 8-9 one time. Do not turn at end of last rnd.

TRIM

Rnd 11: (RS) Ch 1, rsc in each st around, working 1 rsc in each ch-2 sp and no rsc into the sc of the ch2lp sts, join with sl st to first rsc. Fasten off. Weave in all loose ends. Fold Brim up 2"—66 (72, 78) fpdc

Edgewater Cable Hat

Skill Level		Gauge	With I hook, Rnds 1-6 in pattern = 5.25" diameter.
	INTERMEDIATE		6 rows =

Sizes	19"; 20", 21", 22" (see Hook sizes to determine size hook needed)
Hook	19": H/8 (5.00mm): or 1 hook size smaller than needed to obtain gauge.
	20": I/9 (5.50mm) or size needed to obtain gauge.
	21": J/10 (6.00mm) or 1 hook size larger than needed to obtain gauge.
	22": K/10.5 (6.50mm) or 2 sizes larger than needed to obtain gauge.
Notions	Yarn needle; tape measure.



Yarn Paton's Classic Wool (100% Pure New Wool; 223 yards/205 m; 3.5oz/100g); Worsted Weight; #00224 Grey Mix: 2 skeins



CROWN

Rnd 1: Ch 2, 10 hdc in 2nd ch from hook, join with sl st to first hdc, turn—10 hdc


Rnd 2: Ch 1, 2 fpdc (see Stitches) around each hdc, join with sl st to first fpdc—20 fpdc

Rnd 3: Ch 1, sc in same fpdc, fpdc around same fpdc (same fpdc that sc was made in), fpdc around each of next 2 fpdc, 2 fpdc around next fpdc, *sc in top of next fpdc, fpdc around same fpdc, fpdc around each of next 2 fpdc, 2 fpdc around next fpdc, rep from * 3 times, join with sl st to first sc—25 fpdc, 5 sc

Rnd 4: Ch 1, sc in first sc, work LRC (see Stitches) using next 4 post sts (see Definitions), fpdc around next fpdc, working behind fpdc just made, sc in top of same fpdc (this is same fpdc last fpdc was made around), fpdc around same fpdc (this is same fpdc last sc was made in top of), *sc in next sc, work LRC using next 4 post sts, fpdc around next fpdc, working behind fpdc just made, sc in top of same fpdc (this is same fpdc last fpdc was made around), fpdc around same fpdc (this is same fpdc last sc was made in top of), rep from * 3 times, join with sl st to first sc—10 fpdc, 20 fptr, 10 sc

Rnd 5: Ch 1, sc in same sc, LRC using next 4 post sts, sc in top of next fpdc, fpdc around same fpdc (same fpdc that sc was made in top of), 2 sc in next sc, fpdc around next fpdc, *sc in next sc, LRC using next 4 post sts, sc in top of next fpdc, fpdc around same fpdc (same fpdc that sc was made in top of), 2 sc in next sc, fpdc around next fpdc, rep from * 3 times, join with sl st to first sc—10 fpdc, 20 fptr, 20 sc

Rnd 6: Ch 1, sc in same sc, LRC using next 4 post sts, sc in next sc, fpdc around next fpdc, s-pc (see Stitches) in next sc, (sc, s-pc) in next sc, fpdc around next fpdc, *sc in next sc, LRC using next 4 post sts, sc in next sc, fpdc around next fpdc, s-pc (see Stitches) in next sc, (sc, s-pc) in next sc, fpdc around next fpdc, rep from * 3 times, join with sl st to first sc—10 fpdc, 20 fptr, 15 sc, 10 s-pc



BODY

Rnd 7: Ch 1, sc in same sc, LRC using next 4 post sts, sc in next sc, fpdc around next fpdc, sc in next s-pc, s-pc in next sc, sc in next s-pc, fpdc around next fpdc, *sc in next sc, LRC using next 4 post sts, sc in next sc, fpdc around next fpdc, sc in next sc, fpdc around next fpdc, sc in next s-pc, s-pc in next sc, sc in next s-pc, fpdc around next fpdc, rep from * 3 times, join with sl st to first sc—10 fpdc, 20 fptr, 20 sc, 5 s-pc

Rnd 8: Ch 1, sc in same sc, LRC using next 4 post sts, sc in next sc, fpdc around next fpdc, s-pc in next sc, sc in next s-pc, s-pc in next sc, fpdc around next fpdc, *sc in next

sc, LRC using next 4 post sts, sc in next sc, fpdc around next fpdc, s-pc in next sc, sc in next s-pc, s-pc in next sc, fpdc around next fpdc, rep from * 3 times, join with sl st to first sc—10 fpdc, 20 fptr, 10 sc, 15 s-pc

Rep Rnds 7-8 until hat measures (from crown) following age below ending on any rnd.

Age 3 - 4: 5.5" || Age 5 - 6: 5.75" || Age 7 - 8: 6" || Age 9 - 10: 6 - 6.25" || Pre-Teen: 6.25" || Teen: 6.5" || Adult female: 6.5" || Adult male: 7 - 7.5"

BRIM

Rnd 1: Sl st in next 4 fptr, sl st in next st, turn. (WS) Ch 1, sc in same st, LRC using next 4 post sts, sc in next st, fpdc around next post st, s-pc in next st, s-pc in next st, fpdc around next fpdc, *sc in next st, LRC using next 4 post sts, sc in next st, fpdc around next post st, s-pc in next st, s-pc in next st, s-pc in next st, s-pc in next st, fpdc around next fpdc, rep from * 3 times, join with sl st to first sc.

Rep Rnds 7-8 of Body until Brim measures 3.5" from Rnd 1.

TRIM

Rnd 1: Ch 1, sk same st, dc in next st, working behind dc just made, sc in first skipped st, *sk next st, dc in next st, working behind dc just made, sc in skipped st, rep from * around, sc in last st, join with sl st to first dc—28 sc, 27 dc

Rnd 2: Ch 1, sl st very loosely in each st around (If needed, work with larger hook- this round should not constrict), join with sl st to first sl st. Fasten off. Weave in all loose ends. Fold Brim up 2"—55 sl st

Sandstorm Cable Hat

Skill Level

INTERMEDIATE

Gauge

Rnds 1-5 in pattern: Diameter = 4.5" and 5 rows = 2.25"

Size	19.5" (21", 22.5")
Hook	I/9 hook (5.50mm)
Notions	Yarn needle; tape measure.



Yarn Paton's Classic Wool (100% Pure New Wool; 223 yards/205 m; 3.5oz/100g); Worsted Weight; #00229 Natural Mix: 4 skeins



CROWN

Rnd 1: Ch 2, 10 hdc in 2nd ch from hook, join with sl st to first hdc—10 hdc.

Rnd 2: Ch 1, work 2 fpdc (see Stitches) around each hdc, join with sl st to first fpdc—20 fpdc.

Rnd 3: Ch 1, fpdc around first fpdc, 2 fpdc around next fpdc, *fpdc around next fpdc, 2 fpdc around next fpdc, rep from * around, join with sl st to first fpdc—30 fpdc.

Rnd 4: Ch 1, fpdc around first fpdc, working behind fpdc just made, sc in top of same fpdc, fpdc around each of next 4 fpdc, sc in top of next fpdc, working over sc just made, fpdc around same fpdc, *fpdc around next fpdc, working behind fpdc just made, sc in top of same fpdc, fpdc around each of next 4 fpdc, sc in top of next fpdc, working over sc just made, fpdc around same fpdc, rep from * 3 times, join with sl



st to first fpdc--30 fpdc, 10 sc.

Rnd 5: Ch 1, fodc around first fpdc, sc in next sc, fpdc around next fpdc, [2 fpdc around next fpdc] 2 times, fpdc around next fpdc, sc in next sc, fpdc around next fpdc, *fpdc around next fpdc, sc in next sc, fpdc around next fpdc, [2

fpdc around next fpdc] 2 times, fpdc around next fpdc, sc in next sc, fpdc around next fpdc, rep from * 3 times, join with sl st to first fpdc—40 fpdc, 10 sc.

Rnd 6: Ch 1, fpdc around first fpdc, 2 sc in next sc, fpdc around next fpdc, cable (see Stitches) using next 4 fpdc, fpdc around next fpdc, 2 sc in next sc, fpdc around next fpdc, *fpdc around next fpdc, 2 sc in next sc, fpdc around next fpdc, cable using next 4 fpdc, fpdc around next fpdc, 2 sc in next sc, fpdc around next fpdc, rep from * 3 times, join with sl st to first fpdc—5 cables, 20 fpdc (between cables), 20 sc.

Rnd 7: Ch 1, 2 fpdc around first fpdc, sc in each of next 2 sc, fpdc around next fpdc, fpdc around each of next 4 fptr from cable, fpdc around next fpdc, sc in each of next 2 sc, fpdc around next fpdc, *2 fpdc around next fpdc, sc in each of next 2 sc, fpdc around each of next 4 fptr from cable, fpdc around next fpdc, sc in each of next 2 sc, fpdc around next fpdc, rep from * 3 times, join with sl st to first fpdc, **20 sc.**

Rnd 8: Ch 1, work 1 (2, 2) fpdc around first fpdc, work SCC (see Stitches) using next 2 post sts (see Definitions) and the 2 sc between them, cable using next 4 post sts, SCC using next 2 post sts and the 2 sc between them, *work 1 (2, 2) fpdc around next fpdc, work SCC using next 2 post sts and the 2 sc between them, cable using next 4 post sts, SCC using next 2 post sts and the 2 sc between them, rep from * 3 times, join with sl st to first fpdc—5 (10, 10) fpdc, 5 cables, 10 SCCs


Sizes 19.5" (21") only:

Rnd 9: Ch 1, fpdc around each of first 1 (2) fpdc, fpdc around first fptr of SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, fpdc around each of next 4 fptr from cable, fpdc around first fptr of next SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, * fpdc around each of next 1 (2) fpdc, fpdc around first fptr of SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, fpdc around each of next 4 fptr from cable, fpdc around first fptr of next SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, rep from * 3 times, join with sl st to first fpdc—45 (50) fpdc, 20 sc

Size (22.5") only:

Rnd 9: Ch 1, fpdc around first fpdc, 2 fpdc around next fpdc, fpdc around first fptr of SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, fpdc around each of next 4 fptr from cable, fpdc around first fptr

of next SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, *fpdc around next fpdc, 2 fpdc around next fpdc, fpdc around first fptr of SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, fpdc around each of next 4 fptr from cable, fpdc around first fptr of next SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, rep from * 3 times, join with sl st to first fpdc—(55) fpdc, 20 sc



BODY

Rnd 10: Ch 1, fpdc around each of first 1 (2, 3) fpdc, work SCC using next 2 fpdc and the 2 sc between them, cable using next 4 fpdc, SCC using next 2 fpdc and the 2 sc between them, *fpdc around each of next 1 (2, 3) fpdc, work SCC using next 2 fpdc and the 2 sc between them, cable using next 4 fpdc, SCC using next 2 fpdc and the 2 sc between them, rep from * 3 times, join with sl st to first fpdc—5 (10, 15) fpdc, 5 cables, 10 SCCs

Rnd 11: Ch 1, fpdc around each of first 1 (2, 3) fpdc, fpdc around first fptr of SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, fpdc around each of next 4 fptr from cable, fpdc around first fptr of next SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, *fpdc around each of first 1 (2, 3) fpdc, fpdc around first fptr of SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, fpdc around each of next 4 fptr from cable, fpdc around first fptr of next SCC, sc in each of next 2 sc, fpdc around next fptr of SCC, rep from * 3 times, join with sl st to first fpdc—45 (50, 55) fpdc, 20 sc

Rep Rnds 10-11 until hat measures (from crown) following age below ending on any rnd. **Age 3 - 4:** 5.5"|| **Age 5 - 6:** 5.75"|| **Age 7 - 8:** 6"|| **Age 9 - 10:** 6 - 6.25"|| **Pre-Teen:** 6.25"|| **Teen:** 6.5"|| **Adult male:** 7 - 7.5"

BRIM

Rnd 1: SI st in next 0 (1, 2) post sts, ch 1, turn, (WS) *Ch 1, fpdc around each of first 2 (3, 4) post sts, hdc in each of next 2 sts, fpdc around each of next 6 post sts, sc in each of next 2 sts, fpdc around each of next 2 (3, 4) post sts, [fpdc around next post st, hdc in each of next 2 sts, fpdc around each of next 6 post sts, sc in each of next 2 sts, fpdc around each of next 2 (3, 4) post sts, rep from] around, join with sI st to first fpdc. Do not turn—45 (50, 55) fpdc, 10 hdc, 10 sc

Rep from * in Rnd 1 until Brim measures 3.5".

TRIM

Rnd 1: Ch 1, rsc (see Stitches) in each st around, join with sl st to first rsc. Fasten off. Weave in all loose ends. Fold Brim up 2".



Skill Level

Gauge

Rnds 1-5 in pattern: (smooth swatch out with hand and measure at longest parts) diameter = 4.5" - 4.75", 5 rows = 2.5".

When working Body, check gauge. 1 cable, 2 post sts and 1 ch-2 sp = 2.25". Adjust hook size if needed.

Size	18" (20.25", 22.5")
Hook	H/8 hook (5.00mm)
Notions	Yarn needle; tape measure.



Yarn Paton's Classic Wool (100% Pure New Wool; 223 yards/205 m; 3.5oz/100g); Worsted Weight; #00229 Natural Mix: 4 skeins



Crown

Rnd 1: Ch 2, work 8 (9, 10) hdc in 2nd ch from hook, join with sl st to first hdc to form ring—8 (9, 10)


Rnd 2: Ch 1, work 2 fpdc (see Stitches) around each hdc, join with sl st to top of first fpdc—16 (18, 20) fndc

Rnd 3: Ch 1, fpdc around first fpdc, 2 fpdc around next fpdc, *fpdc around next fpdc, 2 fpdc around next

fpdc, rep from * around, join with sl st to first fpdc—24 (27, 30) fpdc

Rnd 4: Ch 1, fpdc around first fpdc, 2 fpdc around each of next 2 fpdc, *fpdc around next fpdc, 2 fpdc around each of next 2 fpdc, rep from * 6 (7, 8) times, join with sl st to first fpdc—40 (45, 50) fpdc
Rnd 5: Ch 1, ch2lp (see Stitches) in same fpdc, fpdc around same fpdc, cable (see Stitches) using next 4
post sts (see Definitions), *ch2lp in top of next fpdc, fpdc around same fpdc, cable using next 4 post sts,
rep from * 6 (7, 8) times, join with sl st to first sc—8 (9, 10) fpdc, 8 (9, 10) ch-2 sps, 32 (36, 40) fptr
Rnd 6: Ch 1, ch2lp in first ch-2 sp, b-cable (see Stitches) using next 4 post sts, 2 fpdc around next post
st, *ch2lp in next ch-2 sp, b-cable using next 4 post sts, 2 fpdc around next post st, rep from * 6 (7, 8)
times, join with sl st to first sc—16 (18, 20) fpdc, 8 (9, 10) ch-2 sps, 32 (36, 40) fptr

Body



Rnd 7: Ch 1, ch2lp in first ch-2 sp, fpdc around each of next 2 post sts, cable using next 4 post sts, *ch2lp in next ch-2 sp, fpdc around each of next 2 post sts, cable using next 4 post sts, rep from * 6 (7, 8) times, join with sl st to first sc—16 (18, 20) fpdc, 32 (36, 40) fptr, 8 (9, 10) ch-2 sps
Rnd 8: Ch 1, ch2lp in first ch-2 sp, b-cable using next 4 post sts, fpdc around each of next 2 post sts, *ch2lp in next ch-2 sp, b-cable using next 4 post sts,

fpdc around each of next 2 post sts, rep from * 6 (7, 8) times, join with sl st to first sc—16 (18, 20) fpdc, 32 (36, 40) fptr, 8 (9, 10) ch-2 sps

Rep Rnds 7-8 until hat measures (from crown) following age below ending on any rnd. Age 3 - 4: 5.5" Age 5 - 6: 5.75" Age 7 - 8: 6" Age 9 - 10: 6 - 6.25" Pre-Teen: 6.25" Adult female: 6.5" Adult male: 7 - 7.5"

Brim:

Rnd 1: SI st in first ch-2 sp, sI st in next sc, ch 1, turn, (WS) ch2lp in first ch-2 sp, fpdc around each of next 6 post sts, *ch2lp in next ch-2 sp, fpdc around each of next 6 post sts, rep from * 6 (7, 8) times, join with sI st to first sc—48 (54, 60) fpdc, 8 (9, 10) ch-2 sps

Rep Rnds 7-8 of Body until Brim measures 3.5" from Rnd 1.

Trim:

Rnd 1: Ch 1 (make tall chain the height of a dc), 2 dc in first ch-2 sp, hdc in each of next 2 post sts, sc in each of next 2 post sts, hdc in each of next 2 post sts, *2 dc in next ch-2 sp, hdc in each of next 2 post sts, sc in each of next 2 post sts, hdc in each of next 2 post sts, rep from * 6 (7, 8) times, join with sl st to first dc.

Rnd 2: Sl st loosely in each st around, join with sl st to first sl st. Fasten off. Weave in all loose ends. Fold Brim up 2".